


CUSTOMER		IKP P/N	LF-PQ261700-6R8
----------	--	---------	-----------------

MECHANICAL DIMENSION: (UNIT:mm)



DIMENSION: (mm)

- A: 27.9 MAX
- B: 27.9 MAX
- C: 18.0 MAX
- D: 19.8 MAX
- E: 6.9 REF
- F: 6.63±0.51
- G: 3.8 REF
- H: 3.8 MIN

WINDING STEP:

WDG	TERMINAL	WIRE GAUGE	TURNS	REMARKS
N1	1--2	1EIW-H 0.8mm*3.8mm	4TS	

ELECTRICAL CHARACTER:

ELECTRICAL CHARACTER:

NO.	ITEM	Measured Point	Technical Data	Test Condition & Instrument
1	INDUCTANCE	L(1--2)	6.8uH±10%	CH3302 320X (500KHz, 0.1V 25°C)
2	DCR	R(1--2)	5mΩ MAX	Hanker 502BC (@20°C)
3	HI-POT	COIL TO CORE	AC300V	50Hz, 5mA, 2S CS2672

Note: Operationing temp -40°C to 125°C

	DESIGN BY	DRAWN BY	CHECKED BY	APPROVED BY	CUSTOMER P/N:	
					DOCUMENT NO./Rev.	
					DATE	2019-3-20
					SHEET_OF_	1 / 1