


CUSTOMER		IKP P/N	LF-PQ404000-600R
----------	--	---------	------------------

MECHANICAL DIMENSION: (UNIT:mm)



DIMENSION: (mm)

- A: 41.5 MAX
- B: 43.5 MAX
- C: 41.0 MAX
- D: 28.8 MAX
- E: 39.2±0.8
- F: 7.0 REF
- H: 6.0±1.0
- I: 1.2 REF
- H: 4.0±1.0



WINDING STEP:

WDG	TERMINAL	WIRE GAUGE	TURNS	REMARKS
N1	1--2	1EIW-H 1.2*7.0mm	18TS	

ELECTRICAL CHARACTER:

NO.	ITEM	Measured Point	Technical Data	Test Condition & Instrument
1	INDUCTANCE	L(1--2)	60uH±10%	CH3302 320X (200KHz, 0.1V 25℃)
2	DCR	R(1--2)	3.9mΩ MAX	Hanker 502BC (@20℃)
3	HI-POT	COIL TO CORE	AC300V	50Hz, 5mA, 2S CS2672

Note: Operationing temp -40℃ to 125℃

	DESIGN BY	DRAWN BY	CHECKED BY	APPROVED BY	CUSTOMER P/N:	
					DOCUMENT NO. /Rev.	
					DATE	2016-5-19
					SHEET_OF_	1 / 1